Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: ULTRALUX

Supplier's address: -

Model identifier: LNW30120WW

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	-				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

		Floudet para	ileters			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consum mode (kWh/100 up to the neares	00 h), rounded	14	Energy efficiency class	F		
Useful luminous dicating if it refe a sphere (360º), (120º) or in a na	ers to the flux in in a wide cone	1 080 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	3 000		
On-mode pow pressed in W	rer (P _{on}), ex-	14,4	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked st (P _{net}) for CLS, e and rounded to imal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen- sions without separate con- trol gear, light- ing control	Height Width Depth		Spectral power dis- tribution in the range 250 nm to 800 nm, at full-load	See image in last page		

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,437		
		nates (x and y)	0,398		
Parameters for directional light sources:					
Peak luminous intensity (cd)	-	Beam angle in de- grees, or the range of beam angles that can be set	120		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	5	Survival factor	1,00		
the lumen maintenance factor	0,92				
(a)	1	J			

(a)_{'-}' : not applicable;

(b)'-' : not applicable;