## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: ULTRALUX

Supplier's address: BORIANA LTD, 3rd of March 12, 5370 Drianovo Gabrovo, BG

## Model identifier: PS3511267W

## Type of light source:

High luminance light source: Anti-glare shield:	No No	Dimmable:	Yes
Colour-tuneable light source:	No	Envelope:	-
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Light source cap-type (or other electric interface)	-		
Lighting technology used:	LED	Non-directional or directional:	DLS

Product parameters						
Parameter		Value	Parameter	Value		
	General product parameters:					
Energy consur mode (kWh/10 up to the neare	00 h), rounded	7	Energy efficiency class	E		
dicating if it refe a sphere (360 <sup>o</sup> )	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	780 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	2 700		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	7,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
(P <sub>net</sub> ) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen- sions without separate con-	Height Width Depth	- 12 -	Spectral power dis- tribution in the range 250 nm to 800	See image in last page		
trol gear, light- ing control			nm, at full-load	Dere 1/2		

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	lf yes, equivalent power (W)	-		
		Chromaticity coordi- nates (x and y)	-		
Parameters for directional light sources:					
Peak luminous intensity (cd)	-	Beam angle in de- grees, or the range of beam angles that can be set	120		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	-	Survival factor	-		
the lumen maintenance factor	-				
(a)					

(a)'-' : not applicable;

(b)'-' : not applicable;